

Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 May 2008

(For the Period 15 April 2008 to 30 April 2008)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have most interested in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-DTL-48400B	Projectile, 60MM, HE, M720/M888 Metal Parts Assembly [CUST: AR]	D	1310		AR	15-APR-2008
M	MIL-DTL-48580C	Fin, M27 [CUST: AR]	D	1310		AR	15-APR-2008
M	MIL-DTL-71038A	Projectile, 120mm, HE, M933A1/M934A1/M934A2 Body [CUST: AR]	D	1315		AR	15-APR-2008
M	MIL-DTL-32264A	Fuze, Artillery, Electronic Time, M762A1 and Fuze, Electronic Time, M767A1 Less Booster [CUST: AR]	D	1390		AR	30-APR-2008
M	QPL-7605-15 NOT 1	Regulator, Oxygen, Demand, Pressure Breathing, Type A-21 (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	1660		71	24-APR-2008
M	MIL-DTL-6458F	Chain Assemblies, Single Leg, Aircraft Cargo Tie Down [CUST: AV AS 99 GS8] [REVIEW: 11 71 84]	A	1670		GS8	18-APR-2008
M	MIL-DTL-32077A	Horn, Flyer's Relief Tube [CUST: AV AS 99 GS1] [REVIEW: 71]	A	1680		GS1	16-APR-2008
M	MIL-HDBK-2150A	Ship Compartment Nomenclature and Space Classification System [CUST: SH]	A	1990		SH	24-APR-2008
M	MIL-STD-1334B(1) NOT 4	Process for Barrier Coating of Anti-Friction Bearings [CUST: AR AS 99 GS]	A	3110		AS	21-APR-2008
M	A-A-59638A	Bearing, Ball, Annular, Double Row, Angular Contact, Non-Filling Slot, Vertex of Contact Angles Inside Bearing, Dimension Series 32 [CUST: AT OS 99] [REVIEW: 11 84 AR EA GL SH]	A	3110	/	GS4	22-APR-2008
M	A-A-59639A	Bearing, Ball, Annular, Double Row, Angular Contact, Filling Slot, Vertex of Contact Angles Inside Bearing, Dimension Series 33 [CUST: AT OS 99] [REVIEW: 11 84 AR EA GL SH]	A	3110	/	GS4	22-APR-2008
M	A-A-59640A	Bearing, Ball, Annular, Double Row, Angular Contact, Filling Slot, Vertex of Contact Angles Outside Bearing, Dimensions Series 32 [CUST: AT OS 99] [REVIEW: 11 84 AR EA GL SH]	A	3110	/	GS4	22-APR-2008
N	SAE-J2321	Ship Systems and Equipment - General Specification for Filter Elements -Hydraulic and Lube Oil Service [CUST: EA SH 99 CC] [REVIEW: 03 84 AS]	A	4330		SH	24-APR-2008
N	SAE-J2321/1	Disposable Hydraulic Filter Element - 115 L/Min Flow, 1.0 MPa Collapse Pressure, Filtration Ratio = 75 at 6 and 10 Micrometers [CUST: EA SH 99 CC] [REVIEW: 03 84 AS]	A	4330		SH	24-APR-2008
N	SAE-J2321/2	Disposable Hydraulic Filter Element - 190 L/Min Flow, 21 MPa Collapse Pressure, Filtration ratio = 75 at 7 Micrometers [CUST: EA SH 99 CC] [REVIEW: 03 84 AS]	A	4330		SH	24-APR-2008
N	SAE-J2321/3	Disposable Hydraulic Filter Elements - 21 MPa Collapse Pressure, Filtration Ratio = 75 at 10 Micrometers, 75 to 175 L/Min [CUST: EA SH 99 CC] [REVIEW: 03 84 AS]	A	4330		SH	24-APR-2008
N	SAE-J527	Brazed Double Wall Low-Carbon Steel Tubing [CUST: CR4 YD 99 CC] [REVIEW: 71 AR AT MC SA]	A	4710		CC	07-APR-2008
M	QPL-26499-10 NOT 1	Hose Assembly, Metal, Flexible, Breathing Oxygen (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4720		CC	15-APR-2008
M	QPL-26633-20 NOT 1	Hose Assembly, Polytetrafluoroethylene, Oxygen (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4720		CC	16-APR-2008
M	QPL-27267-21 NOT 1	Hose, Polytetrafluoroethylene, 450 Degrees F, Medium Pressure, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4720		CC	16-APR-2008
M	QPL-27272-15 NOT 1	Fittings, Polytetrafluoroethylene Hose, High Temperature, Medium Pressure, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4730		CC	16-APR-2008
M	QPL-38726-14 NOT 1	Adapter Assembly, Reusable, Flexible Hose, Low Pressure (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	4730		CC	24-APR-2008
M	MIL-PRF-25961H	Valve, Fill-Buildup-Vent, Liquid Oxygen Converter, CRU-50/A [CUST: AS 71] [REVIEW: 99 CC MC]	A	4820		71	23-APR-2008
M	QPL-28837-12 NOT 1	Mixer Stages, Radio Frequency, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5895		CC	22-APR-2008
M	MIL-PRF-914C	Resistor Networks, Fixed, Film, Surface Mount, Nonestablished Reliability, and Established Reliability, General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS]	A	5905		CR	22-APR-2008
M	MIL-PRF-914/3B	Resistor Network, Fixed, Film, Surface Mount, 16-Pin, Leadless Chip Carrier, Nonestablished Reliability and Established Reliability, Style RNS030 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS]	A	5905		CR	22-APR-2008
M	MIL-PRF-914/4B	Resistor Network, Fixed, Film, Surface Mount, 20-Pin, Leadless Chip Carrier, Nonestablished Reliability and Established Reliability, Style RNS040 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS]	A	5905		CR	22-APR-2008
M	MIL-PRF-914/5B	Resistor Network, Fixed, Film, Surface Mount, 16-Pin, Leadless Chip Carrier, Nonestablished Reliability and Established Reliability, Style RNS050 [CUST: CR EC 11 CC] [REVIEW: 19 AR AS AT AV CG CR4 MC MI NA OS]	A	5905		CR	22-APR-2008
M	MIL-PRF-49462C	Resistors, Fixed, Film, High Voltage General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CG CR4 MC MI OS]	A	5905		CC	17-APR-2008
M	MIL-PRF-49462/3C	Resistors, Fixed, Film, High Voltage Styles RHV30, RHV31, RHV32, RHV33, RHV34, RHV35 [CUST: CR EC 11 CC] [REVIEW: 19 AS AT AV CG CR4 MC MI OS]	A	5905		CC	17-APR-2008
M	QPL-27208-45 NOT 1	Resistor, Variable, Wire Wound, Nonprecision, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905		CC	16-APR-2008
M	QPL-32159-3 NOT 1	Resistors, Chip, Fixed, Film, Zero OHM, Industrial, High Reliability, Space Level, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905		CC	23-APR-2008
M	QPL-39009-39 NOT 1	Resistors, Fixed, Wire-Wound (Power Type, Chassis Mounted), Nonestablished Reliability, and Established Reliability, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905		CR	29-APR-2008
M	QPL-39017-84 NOT 1	Resistors, Fixed, Film (Insulated) Nonestablished Reliability and Established Reliability, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5905		CR	30-APR-2008
M	QPL-39001-49 NOT 1	Capacitors, Fixed, Mica Dielectric, Established Reliability and Nonestablished Reliability, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5910		CR	23-APR-2008
M	QPL-39003-92 NOT 1	Capacitors, Fixed, Electrolytic (Solid Electrolyte) Tantalum, Established Reliability, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5910		CC	29-APR-2008
M	QPL-39006-116 NOT 1	Capacitor, Fixed, Electrolytic (Nonsolid Electrolyte), Tantalum, Established Reliability, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5910		CC	29-APR-2008
M	QPL-39014-114 NOT 1	Capacitor, Fixed, Ceramic Dielectric (General Purpose), Established Reliability and Nonestablished Reliability, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5910		CR	30-APR-2008
M	MIL-DTL-9129F	Discharges, Electrostatic General Specification for [CUST: CR AS 11 CC] [REVIEW: 19 99 CE MC MI]	A	5920		CC	18-APR-2008

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-24646B	Fuse Boxes, General Specification for [CUST: SH CC]	A	5920	CC		29-APR-2008
M	MIL-DTL-24646/1B	Fuse Boxes, Feeder Distribution, Totally Enclosed, 125 Volts, Alternating Current, Single and Three Phase Buses, Single Phase Branches, 0-30 Ampere Midget Fuses, Symbols 600, 601, 612, 612.1, 613, 613.1 and 614 [CUST: SH CC]	A	5920	CC		18-APR-2008
M	QPL-27715-7 NOT 1	Circuit Breaker, Trip Free, High Temperature, Aircraft, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5925	CC		17-APR-2008
M	MIL-DTL-3950/15A	Switches, Toggle, Double Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: EC CC]	A	5930	CC		22-APR-2008
M	MIL-DTL-3950/16A	Switches, Toggle, Three Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: EC CC]	A	5930	CC		22-APR-2008
M	MIL-DTL-3950/17A	Switches, Toggle, Four Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: EC CC]	A	5930	CC		22-APR-2008
N	MIL-DTL-12211/1	Switch, Pressure, SPST, Waterproof [CUST: EC CC]	A	5930	CC		23-APR-2008
M	MIL-DTL-83731/23A	Switches, Toggle, Double Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: CR EC 11 CC] [REVIEW: 99]	A	5930	CC		22-APR-2008
M	MIL-DTL-83731/24A	Switches, Toggle, Three Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: CR EC 11 CC] [REVIEW: 99]	A	5930	CC		22-APR-2008
M	MIL-DTL-83731/25A	Switches, Toggle, Four Pole, 4 Amperes, Low Level, Environmentally Sealed [CUST: CR EC 11 CC] [REVIEW: 99]	A	5930	CC		22-APR-2008
M	QPL-28827-8 NOT 1	Switches, Thermostatic (Volatile Liquid), Hermetically Sealed, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5930	CC		22-APR-2008
M	MIL-PRF-39012/2H(1)	Connectors, Plugs and Receptacles, Electrical, Coaxial, Radio Frequency, (Series N (Cabled), Flange Mounted, Socket Contact, Class 2) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT EA MC MI OS SH]	A	5935	CC		17-APR-2008
M	MIL-PRF-55339C(1)	Adapters, Connectors, Coaxial, Radio Frequency, (Between Series and within Series), General Specification for [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A	5935	CC		16-APR-2008
M	MIL-DTL-21617/1 NOT 1	Connector, Female Plug Electrical, Rectangular, Polarized Shell, Miniature Type, Socket Contacts (Style 004A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/2 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts (Style 004A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/3 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts, Pressurized (Style 004A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/4 NOT 1	Connector, Female Plug Electrical, Rectangular, POLARIZED Shell, Miniature Type, Socket Contacts (Style 008A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/5 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts (Style 008A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/6 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts, Pressurized (Style 008A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/7 NOT 1	Connector, Female Plug Electrical, Rectangular, Polarized Shell, Miniature Type, Socket Contacts (Style 013A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/8 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts (Style 013A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/9 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts, Pressurized (Style 013A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/10 NOT 1	Connector, Female Plug Electrical, Rectangular, Polarized Shell, Miniature Type, Socket Contacts (Style 017A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/11 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts (Style 017A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/12 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts, Pressurized Type (Style 017A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/13 NOT 1	Connector, Female Plug Electrical, Rectangular, Polarized Shell, Miniature Type, Socket Contacts (Style 023A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/14 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts (Style 023A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/15 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts, Pressurized (Style 023A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/16 NOT 1	Connector, Female Plug Electrical, Rectangular, Polarized Shell, Miniature Type, Socket Contacts (Style 026A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/17 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts (Style 026A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/18 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts, Pressurized (Style 026A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/19 NOT 1	Connector, Female Plug Electrical, Rectangular, Polarized Shell, Miniature Type, Socket Contacts (Style 032A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/20 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts (Style 032A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/21 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts, Pressurized (Style 032A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/22 NOT 1	Connector, Female Plug Electrical, Rectangular, Polarized Shell, Miniature Type, Socket Contacts (Style 040A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/23 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts (Style 040A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/24 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Contacts, Pressurized (Style 040A) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/25 NOT 1	Connector, Female Plug Electrical, Rectangular, Polarized Shell, Miniature Type, Socket Coaxial Contacts (STYLE 007C) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/26 NOT 1	Connector, Male Electrical, Rectangular, Polarized Shell, Miniature Type, Pin Coaxial Contacts (Style 007C) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/27 NOT 1	Connector, Female Plug Electrical, Rectangular, Polarized Shell, Miniature Type, Mixed Socket Contacts (Style 016C) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	MIL-DTL-21617/28 NOT 1	Connector, Male Receptacle Electrical, Rectangular, Polarized Shell, Miniature Type, Mixed Pin Contacts (Style 016C) [CUST: CR EC CC] [REVIEW: AV MI]	A	5935	CC		30-APR-2008
M	QPL-25516-15 NOT 1	Connectors, Electrical, Miniature, Coaxial, Environment Resisting Type, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	5935	CC		15-APR-2008

ASSIST UPDATE

01-MAY-2008

ACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	QPL-25038-36 NOT 1	Wire, Electrical, High Temperature, Fire Resistant, and Flight Critical (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6145		CC	30-APR-2008
M	QPL-28830-13 NOT 1	Cable, Radio Frequency, Coaxial, Semirigid, Corrugated Outer Conductor, General Specification for (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6145		CC	22-APR-2008
M	MIL-DTL-52849E	Test Kit - Aviation Fuel Contamination (Portable) [CUST: AT]	A	6630		AT	15-APR-2008
M	A-A-59563 NOT 1	Sodium Carbonate, Anhydrous, Technical [CUST: EA YD 68] [REVIEW: AR CR4 MC MD SM]	A	6810	/	GS3	22-APR-2008
M	QPL-25017-22 NOT 1	Inhibitor, Corrosion/Lubricity Improver, Fuel Soluble (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	6850		68	28-APR-2008
M	MIL-DTL-43994D	Marker, Identification, Fire, Chemical Hazard, and Restricted Area, Reflective [CUST: GL 99 IS]	A	7690		IS	15-APR-2008
M	QPL-52891-15 NOT 1	Enamel, Lusterless, Zinc Phosphate, Styrenated, Alkyd Type (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8010		MR	25-APR-2008
M	QPL-131-47(1) NOT 1	Barrier Materials, Watervaporproof, Greaseproof, Flexible, Heat-Sealable(Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8135		AS	17-APR-2008
M	QPL-3420-28 NOT 1	Packaging Materials, Volatile Corrosion Inhibitor, Treated, Opaque (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8135		AS	17-APR-2008
M	QPL-22019-21(1) NOT 1	Barrier Materials, Transparent, Flexible, Sealable, Volatile Corrosion Inhibitor Treated (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8135		AS	17-APR-2008
M	QPL-22191-33 NOT 1	Barrier Materials, Transparent, Flexible, Heat Sealable (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8135		AS	17-APR-2008
M	QPL-81705-16 NOT 1	Barrier Materials, Flexible, Electrostatic Protective, Heat-Sealable (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	8135		AS	17-APR-2008
M	A-A-20090D	Cereals, Rolled Oats [CUST: GL SA 35] [REVIEW: MC MD QM]	A	8920	/	SS	16-APR-2008
M	A-A-20162B	Salad Dressing, Pourable [CUST: GL SA 35] [REVIEW: MC MD QM]	A	8950	/	SS	21-APR-2008
M	MIL-PRF-3572B(1) NOT 1	Lubricant, Colloidal Graphite in Oil [CUST: AT OS 68]	A	9150		GS3	17-APR-2008
M	DI-MGMT-81508B	Weekly Time Sheet [AMSC: G9042]	A	MGMT		NS	22-APR-2008
M	MIL-STD-648D	Specialized Shipping Containers [CUST: SM OS 11] [REVIEW: 13 19 AR AS AT AV CR CR3 MC MI MT SA SH TE TM2 YD]	A	PACK		OS	10-APR-2008
M	SD-1	Standardization Directory [CUST: AM NM 01 DH DC1] [REVIEW: DA]	A	SDMP		SO	01-APR-2008
M	AFGS-87256(1)	Integrated Diagnostics [CUST: 11]	D	SESS		11	28-APR-2008

INACTIVE SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-STD-1272A NOT 2	Door Hardware Vehicle [CUST: AT]	A	2540		AT	23-APR-2008
M	MIL-B-62098 NOT 2	Bulldozer, Earth Moving: Tank Mounting, M8A3 [CUST: AT]	A	2590		AT	28-APR-2008
M	MIL-STD-1869(1) NOT 3	Turbine Blades and Vanes, Cast; Acceptance Criteria for [CUST: AT]	A	2835		AT	23-APR-2008
M	MIL-A-13488C(1) NOT 2	Air Cleaner, Engine: Heavy-Duty, Oil-Bath Type (for Internal-Combustion Engines) [CUST: AT] [REVIEW: CC]	A	2940		AT	23-APR-2008
M	MIL-B-52761 NOT 2	Belting, Flat, Conveyor, Rubber Industrial Synthetic Reinforcement [CUST: AT]	A	3030		AT	23-APR-2008
M	MIL-B-52203D NOT 3	Boom Crane: 20-Ton, Rough-Terrain; 20-Ton, Truck-Mounted; 12 1/2 Ton, Crawler-Mounted [CUST: AT 99] [REVIEW: CC CE]	A	3815		AT	23-APR-2008
M	MIL-B-52207B NOT 3	Boom, Jib, Crane, 15 Foot Long, for 3/4 Cubic Yard (12 1/2-Ton, Crawler-Mounted, 20 Ton Wheel Mounted) Cranes [CUST: AT YD2 99] [REVIEW: CC CE MC]	A	3815		AT	23-APR-2008
M	MIL-A-53099 NOT 2	Arctic Forward Area Refueling Equipment (AFARE) [CUST: AT]	A	4930		AT	23-APR-2008
M	MIL-A-53100 NOT 2	Arctic Fuel System Supply Point (AFSSP) [CUST: AT]	A	4930		AT	23-APR-2008
M	MS9034C	Bolt-Machine, 12 Point Head, Heat Resistant Steel 250-28NS [CUST: AS 11 IS]	A	5305		IS	17-APR-2008
M	MS9036C	Bolt-Machine, 12 Point Head, Heat Resistant Steel, .375-24 NS [CUST: AS IS]	A	5305		IS	17-APR-2008
M	MIL-R-12221D NOT 2	Rivet, Solid, Aluminum Alloy, Grade 7277, Tempered [CUST: AT IS]	A	5320		AT	23-APR-2008
M	MIL-B-52239D NOT 2	Bar, Connecting, Bridge, Steel: for Ponton Float, Half Sectional, Pneumatic, 12-Ton [CUST: AT] [REVIEW: MC]	A	5420		AT	23-APR-2008
M	MIL-PRF-27/19D	Transformer, Power 52 VA, 60 HZ [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH]	A	5950		CC	28-APR-2008
M	MIL-PRF-27/25C	Transformers, Power, Step Down, 3-Phase [CUST: CR EC 11 CC] [REVIEW: 19 AR AS MC MI SH]	A	5950		CC	28-APR-2008
M	MIL-PRF-27/33A	Transformer, Power, Step-Up [CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH]	A	5950		CC	28-APR-2008
M	MIL-T-27/85B	Transformers and Inductors (Audio, Power, and High-Power Pulse), Inductor, Power [CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH]	A	5950		CC	28-APR-2008
M	MIL-T-27/86A	Transformers and Inductors (Audio, Power, and High-Power Pulse), Inductor, Power [CUST: CR EC 11 CC] [REVIEW: 19 AR AS CR4 MC MI OS SH]	A	5950		CC	28-APR-2008
M	MIL-T-27/89B	Transformers and Inductors (Audio, Power, and High-Power Pulse), Inductor, Power [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950		CC	28-APR-2008
M	MIL-PRF-1/1718A(1) NOT 1	Electron Tube, Gas Switching Type 8922 [CUST: CR EC 11 CC] [REVIEW: 99 AR AS CG MC MI OS]	A	5960		CC	16-APR-2008
M	MIL-PRF-19500/359H	Semiconductor Device, Diode, Silicon, Fast Recovery, Power Rectifier, 1N4942, 1N4944, 1N4946, 1N4947, and 1N4948 JAN, JANTX, and JANTXV [CUST: CR EC 11 CC] [REVIEW: 19 70 71 99 AR AS MC MI SM]	A	5961		CC	25-APR-2008
M	MIL-DTL-3970/16C	Waveguide Assemblies, Rigid, 90-Degree H-Plane Mitered Corner [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS CG MC MI OS]	A	5985		CC	28-APR-2008
M	MIL-DTL-49314B	Antennas, UHF, SATCOM, Portable, Foldable, (Light Weight, Medium Weight, and Heavy Duty), General Specification for [CUST: CR CC]	A	5985		CC	17-APR-2008
M	MIL-DTL-9490E	Flight Control Systems - Design, Installation and Test of Piloted Aircraft, General Specification for [CUST: AV AS 11] [REVIEW: 99 MI SA]	A	6610		AS	22-APR-2008
M	MIL-DTL-17896E	Barometer, Aneroid [CUST: SH GS1]	A	6685		GS1	08-APR-2008
M	MIL-S-13282B NOT 3	Silver and Silver Alloys [CUST: MR AS 99] [REVIEW: AR CR4 EA IS MI]	A	9545		MR	18-APR-2008
M	MIL-STD-1873A NOT 2	Mass Finishing, Process for [CUST: AT]	A	MFFP		AT	23-APR-2008

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-F-24402/4	Filter Elements, Hydraulic, Disposable (See Notice 1 for Replacement Information) [CUST: SH]	A	4330		SH	24-APR-2008
M	GGG-B-451D NOT 2	Blade, Hand Hacksaw and Blade, Power Hacksaw (S/S by ASME-B94.52M) [REVIEW: 11 99 GL MI SH]	A	5110	%	FSS	10-APR-2008
M	GGG-B-451D NOT 2	Blade, Hand Hacksaw and Blade, Power Hacksaw (S/S by ASME-B94.52M)	A	5110	%	FSS	10-APR-2008
M	MIL-E-1/1769(2) NOT 2	Electron Tube, Magnetron Type 8982 (No S/S Document) [CUST: EC CC] [REVIEW: AS CG OS]	A	5960		CC	08-APR-2008
M	MIL-T-38760 NOT 1	Tensiometer Dial Indicating (S/S by A-A-59380) [CUST: GL AS 99 GS] [REVIEW: CR MI]	A	6635		84	18-APR-2008
M	ASTM-D914	Ethyl Cellulose (No S/S Document) [CUST: EA SH GS3] [REVIEW: AR CR4 GL]	A	6810		GS3	30-APR-2008
M	ASTM-D3090	Storage Testing of Aerosol Products (No S/S Document) [CUST: EA SH 68 GS3] [REVIEW: GL MD]	A	6810		GS3	14-APR-2008
M	ASTM-D3091	Products, Safe Filling of Low-Pressure Pressurized (No S/S Document) [CUST: EA SH 68 GS3] [REVIEW: MD]	A	6810		GS3	14-APR-2008
M	ASTM-E191	Apparatus for Micro Determination of Carbon and Hydrogen in Organic and Organo-Metallic Compounds (No S/S Document) [CUST: EA OS 68 GS3] [REVIEW: GL]	A	6810		GS3	14-APR-2008
M	ASTM-E248	Manganese in Manganese Ore by Pyrophosphate Complexed Permanganate Potentiometric Titrimetry, Determination of (No S/S Document) [CUST: EA SH GS3] [REVIEW: CR4 GL MC]	A	6810		GS3	30-APR-2008
M	SAE-HIR1559	Pneumatic Systems, Bleed-Air, for Gas Turbine Equipped Marine and Amphibious Craft (No S/S Document) [CUST: CR4 SH] [REVIEW: MC]	A	SESS		SH	24-APR-2008